



Single point harness model AFG-10

Conform to EN 361

- Provided with rear 'D' attachment point and chest lock.
- Adjustment in the shoulder and leg area to provide easy and quick fit to the size of the user.

Technical data model AFG-10

Model	EAN-No. 4025092*	Weight kg
AFG-10	*164610	0.8



Two point harness model AFG-35

Conform to EN 361

- Provided with front and rear 'D' attachment points and chest lock.
- Adjustment in the shoulder and leg area to provide easy and quick fit to the size of the user.

Technical data model AFG-35

Model	EAN-No. 4025092*	Weight kg
AFG-35	*164627	1.2



Restraint kit

- Single point harness AFG-10
- Restraint rope lanyard, not adjustable, VBM-K
- Kit bag

Technical data restraint kit

Model	EAN-No.
Restraint kit	4025092* *164764

**For restraint purposes only!
Not to be used for fall arrest!**



Basic kit

- Single point harness AFG-10
- Shock-absorbing lanyard BFD-K, length: 2.0 m
- Kit bag

Technical data basic kit

Model	EAN-No.
Basic kit	4025092* *164771

Scaffolders kit

- Single point harness AFG-10
- Shock-absorbing lanyard BFD-R, length: 2.0 m
- Kit bag



Technical data scaffolders kit

Model	EAN-No.
Scaffolders kit	4025092* *164788

Construction kit

- Two point harness AFG-35
- Fall arrest block HSG-G
- Webbing sling AVM-G, length: 0.6 m
- Kit bag



Technical data construction kit

Model	EAN-No.
Construction kit	4025092* *164795

Three point harness model AFG-20

Conform to EN 361, EN 358

- Provided with rear 'D' attachment point and chest lock.
- Two lateral 'D' rings for work positioning.
- Padded back for optimal wearing comfort.
- Adjustment in the shoulder and leg area to provide easy and quick fit to the size of the user.

Technical data model AFG-20

Model	EAN-No. 4025092*	Weight kg
AFG-20	*164658	1.4



Four point harness model AFG-56

Conforms to EN 361, EN 358

- Provided with front and rear 'D' attachment points.
- Two lateral 'D' rings for work positioning.
- Padded back for optimal wearing comfort.
- Adjustment in the shoulder and leg area to provide easy and quick fit to the size of the user.

Technical data model AFG-56

Model	EAN-No. 4025092*	Weight kg
AFG-56	*164672	1.6





Construction kit 2

- Single point harness AFG-35
- Fall arrest block HSG-S, length: 10.0 m
- Webbing sling AVM-G, length: 0.6 m
- Carrying case

Technical data construction kit 2

Model	EAN-No.
Construction kit 2	4025092*
	*164818



Crane maintenance kit

- Single point harness AFG-35
- Shock-absorbing lanyard BFD-T
- Kit bag

Technical data crane maintenance kit

Model	EAN-No.
Crane maintenance kit	4025092*
	*164856

Roofers kit

- Single point harness AFG-35
- Fall arrester with rope grab MLA-K
- Polyamide kernmantle rope, length: 20.0 m (Rope diameter: 14 mm)
- Webbing sling AVM-G, length: 0.6 m
- Carrying case

Technical data roofers kit

Model	EAN-No.
Roofers kit	4025092*
	*164863



Work positioning kit

- Single point harness AFG-56
- Fall arrest block HSG-G
- Work positioning device PHS-K, length: 2.0 m
- Kit bag

Technical data work positioning kit

Model	EAN-No.
Work positioning kit	4025092*
	*164887





Four point harness model AFG-56 C

Conform to EN 361, EN 358

- Provided with front and rear 'D' attachment points.
- Two lateral 'D' rings for work positioning.
- Padded back for optimal wearing comfort.
- Quick connect buckles to get the harness quickly on and off.
- Adjustment in the shoulder and leg area to provide easy and quick fit to the size of the user.

Technical data model AFG-56 C

Model	EAN-No. 4025092*	Weight kg
AFG-56 C	*165297	1.6



Five point harness model AFG-70

Conform to EN 361, EN 358, EN 813

- Provided with front and rear 'D' attachment points.
- One ventral and two lateral 'D' rings for work positioning.
- Additional equipment loops.
- Padded back and legs for optimal wearing comfort.
- Adjustment in the shoulder and leg area to provide easy and quick fit to the size of the user.

Technical data model AFG-70

Model	EAN-No. 4025092*	Weight kg
AFG-70	*164733	1.7

Five point harness model AFG-80

Conform to EN 361, EN 358, EN 813

- Provided with front and rear 'D' attachment points.
- One ventral and two lateral 'D' rings for work positioning.
- Additional equipment loops.
- Padded back and legs for optimal wearing comfort.
- Adjustment in the shoulder and leg area to provide easy and quick fit to the size of the user.
- Seat strap to prevent buckling of leg straps in case of falling.



Technical data model AFG-80

Model	EAN-No. 4025092*	Weight kg
AFG-80	*626712	1.7

Rescue harness model AFG-10 R

Conform to EN 361, EN 1497

- Provided with front and rear 'D' attachment points.
- Additional rescue anchorage point.
- Adjustment in the shoulder and leg area to provide easy and quick fit to the size of the user.



Technical data model AFG-10 R

Model	EAN-No. 4025092*	Weight kg
AFG-10R	*164634	1.5